

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

CONFIRMATION NO. ATTORNEY DOCKET NO. FIRST NAMED INVENTOR APPLICATION NO. FILING DATE 08/06/2001 Q65741 8175 Junhua Chang 09/921,683 7590 09/23/2002 SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC **EXAMINER** 2100 Pennsylvania Avenue, NW NGUYEN, LAM S Washington, DC 20037-3213 PAPER NUMBER ART UNIT 2853

DATE MAILED: 09/23/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

	M
.ss	
unication.	
nerits is	
je	
lication).	

	Application No.	Applicant(s)	
Office Action Summany	09/921,683	CHANG, JUNHUA	
	Examiner	Art Unit	
The MAN INC DATE of the	LAM S NGUYEN	2853	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status			
1) Responsive to communication(s) filed on	<u> </u>		
2a) This action is FINAL . 2b) ⊠ This	s action is non-final.		
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims			
4)⊠ Claim(s) <u>1-21</u> is/are pending in the application.			
4a) Of the above claim(s) is/are withdrawn from consideration.			
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-21</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and/or election requirement. Application Papers			
9)☐ The specification is objected to by the Examiner.			
10)⊠ The drawing(s) filed on <u>10 July 2002</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.			
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).			
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner.			
If approved, corrected drawings are required in reply to this Office action.			
12) The oath or declaration is objected to by the Examiner.			
Priority under 35 U.S.C. §§ 119 and 120			
13)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).			
a)⊠ All b)□ Some * c)□ None of:			
1. ☐ Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.			
14) Acknowledgment is made of a claim for domestic	priority under 35 U.S.C. § 119(e)	(to a provisional application).	
a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.			
Attachment(s)			
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 11.	5) Notice of Informal Pa	PTO-413) Paper No(s) tent Application (PTO-152)	
S. Patent and Trademody Office			

Application/Control Number: 09/921,683

Art Unit: 2853

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 1-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chang et al. (EP 0947325 A1) in view of Chang et al. (EP 0988974 A2).

Chang et al. (EP 0947325 A1) disclose a liquid jetting apparatus, comprising:

a liquid jetting head, including a nozzle orifice (FIG. 3, element 13), a pressure chamber (FIG. 3, element 2) communicated with the nozzle orifice, and a pressure generating element (FIG. 3, element 5) which varies the volume of the pressure chamber; and

a drive signal generator (FIG. 1, element 109), which generates a drive signal including a drive pulse supplied to the pressure generating element, the drive pulse including:

- a first expanding element (FIG. 9, element b);
- a first contracting element (FIG. 9, element d1);
- a second expanding element (FIG. 9, element f) hich drives the pressure generating element so as to expand the pressure chamber contracted by the first contracting element, so that a marginal portion of the swelled center portion of the meniscus is pulled toward the pressure chamber (column 15, line 48-55).

Referring to claim 2: wherein a potential difference of the first expanding element (FIG. 9, element b) wherein the potential difference of the drive signal (FIG.9, element VH).

Referring to claim 4: wherein the potential difference of the second expanding element (FIG. 9, element f: VM1-VM3) is not greater than the potential difference of the first contracting element (FIG. 9, element d1: VM1)

Referring to claim 5: wherein the second expanding element (FIG. 4b, element f) is supplied for a time period which is not greater than one quarter the natural vibration period of the pressure chamber (column 13, lin3 45-48).

Referring to claim 6: wherein a gradient of the second expanding element (FIG. 4b, element f) is greater than a gradient of the first contracting element (FIG. 4b, element d).

Referring to claim 7: wherein the drive pulse includes a contracted state holding element (FIG. 9, element e) which connects the first contracting element and the second expanding element such that a termination end of the first contracting element and a start end of the second expanding element have an identical potential; and

wherein the contracted state holding element is supplied for a time period which is not greater than one quarter the natural vibration period of the pressure chamber (column 13, line 50-56: the hold region e is preferably to be approximately 0).

Referring to claim 8: wherein the drive pulse includes a second contracting element (FIG. 9, element h), which drives the pressure generating element so as to contract the pressure chamber expanded by the second expanding element.

Referring to claims 10 and 19: wherein the second contracting element (FIG. 9, element t3) is supplied for a time period which is not greater than one third of the natural vibration period of the pressure chamber (column 16, line 20-22).

Referring to claims 11 and 20: wherein a time period from a start end of the first contracting element to a start end of the second contracting element is not greater than the natural vibration period of the pressure chamber (column 16, line 24-29).

Referring to claims 12 and 21: wherein the time period between the start ends of the first contracting element and the second contracting element falls within a range of one quarter to one third of the natural vibration period of the pressure chamber (column 16, line 24-29).

Referring to claim 13: wherein the drive pulse includes a damping hold element (FIG. 9, element i), which holds a termination end potential of the second contracting element for a predetermined time period and a damping element (FIG. 9, element j), supplied after the damping holding element to drive the pressure generating element so as to expand the pressure chamber to a reference volume thereof.

Referring to claim 14: wherein the damping element (FIG. 9, element j) is supplied for a time period (FIG. 9, element T4) which is not greater than a half the natural vibration period of the pressure chamber (column 34-36).

Referring to claim 15: wherein a time period from a start end of the first contracting element (FIG. 9, element d1) to a start end of the damping element (FIG. 9, element j) is not greater than the natural vibration period of the pressure chamber (column 16, line 37-40).

Referring to claim 16: wherein the drive pulse includes a preliminary contracting element (FIG. 24, element b1), which drives the pressure generating element so as to contract the pressure chamber from a reference volume thereof, before the first expanding element is supplied.

Referring to claim 17: wherein the contracted amount of the pressure chamber in the second contracting element is larger than one of the contracted amount of the pressure chamber in the first contracting element and an expanded amount of the pressure chamber in the second expanding element (FIG. 13: the second contracting element h3 (VH-VM3 = 20V) is larger than one of the first contracting element d3 (VM2 = 10V) and the second expanding element f2 (VM2-VM3 = 5V), column 16, line 6-8).

Chang et al. (EP 0947325 A1) do not disclose the first expanding element which drives the pressure generating element so as to expand the pressure chamber, so that a meniscus of liquid in the nozzle orifice is pulled toward the pressure chamber, the first expanding element being supplied for a time period which is not greater than a half a natural vibration period of the pressure chamber (Referring to claim 18); a first contracting element which drives the pressure generating element so as to contract the pressure chamber expanded by the first expanding element, so that a center portion of the meniscus is swelled in an ejecting direction of a liquid drop, a potential difference of the first contracting element being not greater than 60% or 50 % of a potential difference between a minimum potential and a maximum potential of the drive signal (Referring to claim 3), wherein a potential difference of the second expanding element is not less than 40% of the potential difference of the drive signal, and wherein a potential difference of the second contracting element is not less than 75% of the potential difference of the drive signal (Referring to claim 9).

However, Chang et al. (EP 0988974 A2) disclose the first expanding element (in term of "a preparatory process) (FIG. 10, element b5) which drives the pressure generating element so as to expand the pressure chamber, so that a meniscus of liquid in the nozzle orifice is pulled

toward the pressure chamber (FIG. 5a), the first expanding element being supplied for a time period which is not greater than a half a natural vibration period of the pressure chamber (column 4, line 7-12); a first contracting element (FIG. 10, element d) which drives the pressure generating element so as to contract the pressure chamber expanded by the first expanding element (FIG. 5b), so that a center portion of the meniscus is swelled in an ejecting direction of a liquid drop, a potential difference of the first contracting element being not greater than 60% or 50 % of a potential difference between a minimum potential and a maximum potential of the drive signal (column 4, line 11-15), and wherein a potential difference of the second expanding element (FIG. 9, element h4) is not less than 40% of the potential difference of the drive signal (FIG. 9: element h4 has the potential VM4 = 10V which is greater than 40% of the potential VM2 = 15V) (Referring to claim 3), and wherein a potential difference of the second contracting element is not less than 75% of the potential difference of the drive signal (FIG. 10, element j5) (Referring to claim 9).

Therefore, it would have been obvious for one having ordinary skill in the art at the time the invention was made to set the time period of the first expanding element not greater than a half a natural vibration period of the pressure chamber, the potential difference of the first contracting element not greater than 60% or 50 % of a potential difference between a minimum potential and a maximum potential of the drive signal, the potential difference of the second expanding element not less than 40% of the potential difference of the drive signal, and the potential difference of the second contracting element not less than 75% of the potential difference of the drive signal in the waveform of Chang (EP 0947325 A1) as taught by Chang (EP0988974 A2). The reason of doing so is that the quantity of ink composing an ink droplet can

be reduced as much as possible without deteriorating the flying speed of the ink droplet in order to increase the printing quality as taught by Chang (EP 0988974 A2) (Abstract).

Response to Arguments

Applicant's arguments with respect to claims 17-21 have been considered but are moot in view of the new ground(s) of rejection.

Regarding to the applicant's argument on page 3 referring to claim 17: The applicant argued that the Chang reference fails to disclose the limitation teaching wherein the contracted amount of the pressure chamber in the second contracting element is larger than one of the contracted amount of the pressure chamber in the first contracting element and an expanded amount of the pressure chamber in the second expanding element. However, as discussed above, the combination of the references Chang (EP 0947325 A1) and (EP0988974 A2) disclose the above limitation. Therefore, the claim is unpatentable.

Regarding to the applicant's argument on page 4 referring to claims 18-21: The applicant argued that the claims 18-21 are pantentable since their dependence on the allowable claim 17. However, claim 17 is unpantentable and claims 18-21 are rejected as discussed above. Therefore, claims 18-21 are also unpatentable.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LAM S NGUYEN whose telephone number is (703)305-3342. The examiner can normally be reached on 7:00AM - 3:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JOHN E BARLOW can be reached on (703)308-3126. The fax phone numbers for

Application/Control Number: 09/921,683

Art Unit: 2853

Page 8

the organization where this application or proceeding is assigned are (703)305-3431 for regular communications and (703)305-3432 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0956.

September 10, 2002

John/Barlow
Supervisor/ Patent Examiner
Technology Center 2800